

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SWD, INC. 910 S. Stiles Drive Addison, IL 60101

Rick Delawder Phone: 630 543 3003

## **CHEMICAL**

Valid To: November 30, 2027 Certificate Number: 0951.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on steel and stainless-steel fasteners, stampings, and other piece parts:

Test:	Test Methods:
Coating Thickness Electromagnetic	ASTM B499, E376;
	ISO 10683, Section 8.4
Coating Weight	Chrysler PS-80, Chrysler PS.50034, Chrysler LP.7M046,
	LP461J; ASTM B767;
	GM 4435M, Section 4.2 ( <i>Inactive March 2011</i> ) <sup>1</sup> ,
	GM 6035M, Section 4.2 ( <i>Inactive March 2011</i> ) <sup>1</sup> ;
	GMW3179, Section 3.3.2;
	MIL-DTL-16232, Section 4.7.3;
	SAE AMS2481, Section 3.4.4; ASTM F1137
Copper Sulfate Test for Surface Passivation of	ASTM A967/A967M, Practice D <sup>2</sup> ;
Stainless Steel	FED SPEC QQ-P-35-C, Section 4.4.2.2
	(Superseded September 1998) <sup>1</sup> ;
	MIL-STD-753C, Method 102
	(Cancelled September 1998) <sup>1</sup> ;
	SAE AMS-QQ-P-35, Section 4.4.2.2
	$(Superseded September 1998)^{1};$
	AMS2700, Section 3.2.1.3.1
Humidity Test	ASTM A380/A380M, Section 7.2.5.2, A967/A967M, Practice
	B <sup>2</sup> , D1735;
	Delphi DX900159;
	GM 4465P (Inactive January 2011) $^{1}$ ;
	GMW14729;
	SAE AMS-QQ-P-35, Section 4.4.1.2
	(Superseded September 1998) <sup>1</sup> ;
0.11.4.11.	AMS2700, Section 3.2.1
Oxalic Acid Test	MIL-DTL-13924, Section 4.4.2;
C. I. C.	SAE AMS2485, Section 3.3.3
Salt Spray	ASTM B117; ASTM A967/A967M
	DIN 50021;
	GM 4298P (Superseded December 2010) <sup>1</sup> ;

Page 1 of 2

Test:	Test Methods:
	GMW3286, Section 7.2;
	ISO 9227;
	JDM F15 Section 2.0, F22 Section 3.4;
	SAE AMS 2700, Section 3.2.1.3.2;
	SAE /USCAR-1
Smut Test	GM 4347M, Section 3.8 ( <i>Inactive March 2011</i> ) <sup>1</sup> ;
	MIL-DTL-13924, Section 4.4.1;
	SAE AMS2485, Section 3.3.1
Tape Adhesion Test	GM 9071P (Superseded August 2002) <sup>1</sup> ;
	GMW14829
	ASTM D3359, ISO 10683, MPAPS G-4518
Torque & Torque Tension	Chrysler PS-80, Section 5.1.6;
(Up to 300 ft lb)	Ford WZ101, WZ102
	GM 4435M, Section 3.8 ( <i>Inactive March 2011</i> ) <sup>1</sup> ,
	GM 7111M, Section 1.3 (Superseded February 2010) <sup>1</sup> ;
	GMW3359, Section 3.10.1,
	GMW3179, Section 3.9,
	GMW14100, Section 3.9;
	SAE/USCAR-10, (Stabilized 2020) Section 11
	ISO 10683, SAE/USCAR 11 (Stabilized 2020), MPAPS G-
	4518, ISO 16047, JDM F27

<sup>&</sup>lt;sup>1</sup>This laboratory's scope contains inactive, withdrawn, or superseded methods. As a clarifier, this indicates that the applicable method itself has been withdrawn or is now considered "historical" and not that the laboratory's accreditation for the method has been withdrawn.

<sup>&</sup>lt;sup>2</sup>When Practice is used above, it refers to a test method/procedure.



## **Accredited Laboratory**

A2LA has accredited

SWD, INC.

for technical competence in the field of

## **Chemical Testing**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system

(refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 1st day of October 2025.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council

Certificate Number 0951.01

Valid to November 30, 2027